

VEGFB (N-Fc), Human, Recombinant

货号：PCK223

产品信息

别名	Vascular Endothelial Growth Factor B; VEGF-B; VEGF-related Factor; VRF
物种	Human
表达宿主	Human Cells
序列信息	Pro22-Ala207
检索号	P49765
分子量	45.7 kDa

产品特性

纯度	>95% as determined by reducing SDS-PAGE.
内毒素	<1.0 EU per µg as determined by LAL test.
保存	Lyophilized protein should be stored at -5~-20°C, stable for one year after receipt. Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of reconstituted samples are stable at -5~-20°C for 3 months.
运输	Ambient temperature or ice pack.
制剂	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.



复融

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

背景介绍

VEGFB, as known as VRF, is a member of the VEGF family of Growth Factors that share structural and functional similarity. By alternative splicing, two isoforms of mature VEGF-B containing 167 or 186 amino acid (aa) residues exist. VEGF-B is expressed in most tissues, especially in heart, skeletal muscle and pancreas. The two VEGF-B isoforms have identical amino-terminal cysteine-knot VEGF homology domains but the carboxyl end of VEGF-B167 differs from that of VEGF-B186 by the presence of a highly basic cysteine-rich heparin binding domain. VEGF-B167 and a proteolytically processed form of VEGF-B186 also bind neuropilin-1, a type I transmembrane Receptor for semaphorins/ collapsins, Ligands involved in neuron guidance.

SDS-PAGE

